

Flood Resource Request

The Province of Manitoba maintains a limited supply of flood protection equipment for use during an emergency or disaster situation. **The Province of Manitoba does not supply dry sand for sandbags or rolls of polyethylene.** The Local Authority must complete the EMO Flood Resource Request form and send it to the EMO Duty Officer for review via email: emodutyofficer@gov.mb.ca.

Local authority:	
Date completed:	
Prepared by:	
Position:	
E-mail address:	
Phone number:	

Resource name <i>(select required resources)</i>	Unit	Number of Units Requested	When is the Resource Needed <i>(include date)</i>	Can Local Authority Pick up Resource <i>(yes/no)</i>	
				Yes	No
Tiger tubes:	50' x 19" each			Yes	No
Empty regular sandbags:	14" x 26" each			Yes	No
Empty super sandbags:	3' x 3' x 3' each			Yes	No

Pick-up Information			
Who is picking up the resources?	Name:	Position:	Cell number:

Delivery Information			
On site delivery location contact?	Name:	Position:	Cell number:
Drop off location:			
Additional information:			

Incident Objectives <i>(Identifying the Intended Use of the Requested Resource and Anticipated Timeline)</i>				
What is the current hazard concern and the outlook for the next 3-5 days?				
What is being protected?		Structures (permanent resident)		Property (private)
		Structures (recreation/seasonal)		Property (commercial/industry)
		Structures (commercial/industry)		Property (government)
		Structures (government)		Other:
What are the flood protection objectives for each resource requested?		Tiger tubes:	Super sandbags:	Empty sandbags:
	<i>LA flood protection objectives:</i>	Length: _____ ft Height: _____ ft	Length: _____ ft Height: _____ ft	Length: _____ ft Height: _____ ft
	<i>Inventory to be provided to residents (#):</i>	n/a	n/a	_____ bags

Describe the terrain where the resources will be deployed

(Is it flat and open clear ground, hilly, uneven terrain, with rocks, trees or brush)

Is there wave action expected and/or the possibility for ice to be in contact with the flood protection equipment after it is deployed

Authorizing Signature:

Date: